

## WATERWORKS

PRODUCT SUPPORT  
800.927.2120  
WATERWORKS.COM

# ELSA

Thermostatic Control Valve Trim with Metal  
Cross Handles in Chrome

**STYLE No.** ELTH79

**REFERENCE No.** ELSV79C

**ITEM No.** 05-96639-49659

## SPECIFICATIONS

PAGE 1 OF 3

### DESIGN

An updated 1930's design that is curvaceous and bold; Elsa conveys charm, warmth and a touch of whimsy.

### FEATURES

Brass material is used for all trim and valve component parts.

The manufacturing process encompasses casting, turning, hand-fitting and hand polishing.

The smooth, sculptural contours and simplified linear detail ensure that Elsa will be comfortable and welcomed in any bathroom.



SHOWN IN Chrome

WATERWORKS

PRODUCT SUPPORT  
800.927.2120  
WATERWORKS.COM


ELSA

Thermostatic Control Valve Trim with Metal  
Cross Handles in Chrome

STYLE No. ELTH79  
REFERENCE No. ELSV79C  
ITEM No. 05-96639-49659

SPECIFICATIONS  
PAGE 2 OF 3


*All dimensions are based on original specifications and are subject to change and variation. Please consult your Design Associate for current specifications.*



TOP VIEW SCALE: 3"=1'-0"



FRONT VIEW SCALE: 3"=1'-0"



SIDE VIEW SCALE: 3"=1'-0"

## WATERWORKS

PRODUCT SUPPORT  
800.927.2120  
WATERWORKS.COM

## ELSA

Thermostatic Control Valve Trim with Metal  
Cross Handles in Chrome

**STYLE No.** ELTH79

**REFERENCE No.** ELSV79C

**ITEM No.** 05-96639-49659

## SPECIFICATIONS

PAGE 3 OF 3

### SPECIFICATIONS

Primary Material:

Control Valve Rough-in Depth Minimum: 2"

Control Valve Rough-in Depth Maximum: 8"

Diverter Valve Rough-in Depth Minimum:

Diverter Valve Rough-in Depth Maximum:

### CARE INSTRUCTIONS

Wash surfaces gently with a soft damp cloth;  
use a neutral liquid soap with water for daily  
cleaning, dry any overspray.

### CODES AND STANDARDS

#### FLOW RATE CURVE

### REQUIRED PLUMBING DETAILS

Below is a list of choices that must be  
made to complete your lavatory faucet.