

## DASH

DSLS10

Dash Low Profile Three Hole Deck Mounted Lavatory Faucet with Metal Lever Handles



SHOWN IN DASH LOW PROFILE THREE HOLE DECK MOUNTED LAVATORY FAUCET WITH METAL LEVER HANDLES| DSLS10

### TECHNICAL DETAILS

Deck Thickness Maximum: 40 mm  
 Deck Thickness Minimum: 6 mm  
 Drain Assembly Materials: Brass, Rubber, Plastic  
 Drain Depth Maximum: 67 mm  
 Drain Hole Diameter: 44 mm  
 Drain Style: Push-Touch  
 Escutcheon Primary Material: Brass  
 Fittings Hole Diameter: 35 mm  
 Flow Restriction Options: 1.75, 1.5, 1.2, 1.0  
 Handle Spread Maximum: 305 mm  
 Handle Spread Minimum: 203 mm  
 Handle Turn Angle: Quarter Turn  
 Depth / Width: 195 mm  
 Drain Depth Minimum: 10 mm  
 Height: 94 mm  
 Inlet Connection Size: 1/2"  
 Inlet Connection Type: Male with Supply Nut  
 Inlet Supply Spread Maximum: 305 mm  
 Inlet Supply Spread Minimum: 203 mm  
 Installation Type: Deck Mounted  
 Length: 408 mm  
 Number of Handles: Two  
 Number of Holes: Three Hole  
 Primary Material: Brass  
 Restricted Maximum Flow Rate: 8.3 liters/min  
 Spout Swivel: N  
 Suggested Application: Bath  
 Valve Material: Ceramic  
 Water Pressure Maximum: 6.0 bar  
 Water Pressure Minimum: 1.5 bar  
 Water Pressure Recommended: 3.0 bar

### INSPIRATION

A blend of art and function, Dash pays homage to design elements of the 1930s with pared-down shapes, softened curves and minimal details.

### PRODUCT FEATURES

Metal Lever Handle

Includes European push touch style drain.


Stocked in Nickel, Chrome, Unlacquered Brass, and Matte Nickel finishes

Standard flow rate is 2.2gpm (8.3 L/min) and State of California requires 1.2gpm(4.5 L/min). Also available in other flow options. Contact a sales associate for details.

## DASH


DSLS10

Dash Low Profile Three Hole Deck Mounted Lavatory Faucet with Metal Lever Handles




TOP VIEW

SCALE: 1 1/2"=1'-0"




ISO VIEW

SCALE: 1 1/2"=1'-0"



FRONT VIEW

SCALE: 1 1/2"=1'-0"



SIDE VIEW

SCALE: 1 1/2"=1'-0"