WATERWORKS

PRODUCT SUPPORT 800.927.2120 WATERWORKS.COM

UNIVERSAL

SPECIFICATIONS PAGE 1 OF 3

Watercloset Supply Kit $\frac{1}{2}\!\!\!/\!\!\!/$ Sweat x $^3\!\!\!/\!\!\!/$ o.d. Straight in Chrome


STYLE No. 348134

REFERENCE No. FDMS39C **ITEM No.** 26-69190-07314

DESIGN

Our universal collection is timeless in style and can be paired with any of our Waterworks' collections.

FEATURES



SHOWN IN finish/color

WATERWORKS

PRODUCT SUPPORT 800.927.2120 WATERWORKS.COM

UNIVERSAL

Watercloset Supply Kit $\frac{1}{2}$ " Sweat x $\frac{3}{6}$ " o.d. Straight in Chrome


STYLE No. 348134

REFERENCE No. FDMS39C **ITEM No.** 26-69190-07314

SPECIFICATIONS

PAGE 2 OF 3

All dimensions are based on original specifications and are subject to change and variation. Please consult your Design Associate for current specifications.



WATERWORKS

PRODUCT SUPPORT 800.927.2120 WATERWORKS.COM

UNIVERSAL

Watercloset Supply Kit ½" Sweat x ¾" o.d. Straight in Chrome

STYLE No. 348134

REFERENCE No. FDMS39C **ITEM No.** 26-69190-07314

PAGE 3 OF 3

SPECIFICATIONS

SPECIFICATIONS

Primary Material: Made of Brass ADA Compliance: Yes Inlet Connection Size: 1/2" Inlet Connection Type: IPS Maximum Water Pressure: Minimum Water Pressure: O psi Outlet Connection Size: 3/8" Outlet Connection Type: Supply Tube Recommended Water Pressure: Valve Material:

CARE INSTRUCTIONS

To clean the finish, wipe gently with a soft damp cloth and then with a soft dry towel. A mild soap solution can be used for daily cleaning.

CODES AND STANDARDS

ASME A112.18.1 / CSA B125.1, IAPMO, State of