


UNIVERSAL

Universal Three Way Diverter Valve for Thermostatic Shower Systems

GU66DV



SHOWN IN UNIVERSAL THREE WAY DIVERTER VALVE FOR THERMOSTATIC SHOWER SYSTEMS| GUDV66

TECHNICAL DETAILS

Fittings Hole Diameter: 64 mm
 Handle Turn Angle: Quarter Turn Each Way
 Installation Notes: Valve rough-in depth is measured from the centerline of the inlets to the surface of the finished wall and varies depending on the trim and thermostatic valve being used. Refer to the valve Installation Guidelines for rough-in depth dimension information.
 Depth / Width: 165 mm
 Height: 97 mm
 Inlet Connection Size: 3/4"
 Inlet Connection Type: Female G/BSPP
 Length: 92 mm
 Outlet Connection Size: 1/2"
 Outlet Connection Type: Female BSP
 Primary Material: Brass
 Suggested Application: Bath
 Valve Material: Ceramic
 Water Pressure Maximum: 5.5 bar
 Water Pressure Minimum: 1.5 bar
 Water Pressure Recommended: 3.0 bar

INSPIRATION

Our Universal collection features timeless designs complementing any of our Waterworks. With a wide range of product, from fittings to accessories, Universal adds exquisite proportion and balance to any environment.

CODES & STANDARDS

Code # : Complies with ASME A112.18.1/CSA B125.

PRODUCT FEATURES

For use with Waterworks Thermostatic system 3-way diverter valve trims
 3/4" NPT female inlet and 1/2" female outlet with quarter turn functionality
 Custom tile guard ensures precise tiling, while providing accessibility in servicing the valve.
 16.9 gpm unrestricted maximum flow at 45 psi
 Made of brass materials


UNIVERSAL

GU66DV


Universal Three Way Diverter Valve for Thermostatic Shower Systems

ADAPTER(S) PACKAGED SEPARATELY		
ADAPTER	DESCRIPTION	QTY
UNUK01	3/4" Male NPT x 3/4" Female BSP	1
UNUK02	1/2" Male NPT x 1/2" Female BSP	3


ROUGH-IN DEPTH CHART						
TRIM STYLE	A		B		C	
	Paired w/ GUTH37		Paired w/ GUTH56		Paired w/ GUTH78	
25	MIN	MAX	MIN	MAX	MIN	MAX
Flyte	3 1/8	4 1/8	3 1/4	4 1/4	3 1/8	4 1/8
Opus						
R.W. Atlas						
Formwork	3 1/8	4 3/4				
Henry	2 7/8	4 1/8				
All Other Trims	2 1/2	4 1/8				




TOP VIEW SCALE: 3"=1'-0"



ISO VIEW SCALE: 3"=1'-0"



FRONT VIEW SCALE: 3"=1'-0"



SIDE VIEW SCALE: 3"=1'-0"