

R.W. ATLAS

RW30KM

R.W. Atlas One Hole High Profile Bar Faucet, Metal Lever Handle



SHOWN IN R.W. ATLAS ONE HOLE HIGH PROFILE BAR FAUCET, METAL LEVER HANDLE| RWKM30

TECHNICAL DETAILS

Deck Thickness Maximum: 68 mm
Deck Thickness Minimum: 6 mm
Fittings Hole Diameter: 35 mm
Handle Turn Angle: Half Turn
Depth / Width: 216 mm
Height: 225 mm
Inlet Connection Size: 3/8"
Inlet Connection Type: Female BSPP
Length: 138 mm
Restricted Maximum Flow Rate: 8.3 liters/min
Spout Swivel: N
Water Pressure Maximum: 5.5 bar
Water Pressure Minimum: 1.5 bar
Water Pressure Recommended: 3.0 bar

INSPIRATION

Powerful shapes, genuine materials and unique aesthetic details. The original, impeccable vision of R.W. Atlas pairs American ingenuity with European craftsmanship.

PRODUCT FEATURES

Progressive Control. When the lever handle is rotated the flow of cold water begins; continue rotating activates the mixing by adding hot water; at the end of the rotation, only hot water flows. Full rotation is a half turn
2.2 gpm flow regulation and low flow options available

WATERWORKS

R.W. ATLAS

RW30KM

R.W. Atlas One Hole High Profile Bar Faucet, Metal Lever Handle


ADAPTER(S) PACKAGED SEPARATELY		
ADAPTER	DESCRIPTION	QTY
UNUK08	9/16"-24 UNEF Male x 3/8" Female BSP in Nickel	2




TOP VIEW SCALE: 1 1/2"=1'-0"



ISO VIEW SCALE: 1 1/2"=1'-0"



FRONT VIEW SCALE: 1 1/2"=1'-0"



SIDE VIEW SCALE: 1 1/2"=1'-0"