

WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

ETOILE

Exposed Tub Filler With Handshower and
White Porcelain Lever Diverter in Chrome

STYLE No. 332898

REFERENCE No. ETTU60C

ITEM No. 09-47326-54625

SPECIFICATIONS

PAGE 1 OF 3

DESIGN

Etoile is classic Belle Epoque for those who appreciate tradition in harmony with modern life. Sophisticated and subtle, each elegant curve and detail represent exemplary European heritage and hand-craftsmanship; the epitome of luxury for the bath.

FEATURES

Brass is used on all trim and valve component parts.

Optional handle materials include porcelain, wood, crystal, and semi-precious stones.

The manufacturing process encompasses casting, turning, forging, hand-fitting and hand polishing.

Unique details include “dew-drop” cross handles and graceful, elongated curves throughout the line.

An extensive range of fittings, fixture and accessory options for the lavatory, shower, bathtub.



SHOWN IN Nickel

WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

ETOILE

Exposed Tub Filler With Handshower and
White Porcelain Lever Diverter in Chrome

STYLE No. 332898


REFERENCE No. ETTU60C

ITEM No. 09-47326-54625

SPECIFICATIONS


PAGE 2 OF 3

All dimensions are based on original specifications and are subject to change and variation. Please consult your Design Associate for current specifications.




TOP VIEW

SCALE: 1 1/2"=1'-0"



FRONT VIEW

SCALE: 1 1/2"=1'-0"



SIDE VIEW

SCALE: 1 1/2"=1'-0"

WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

ETOILE

Exposed Tub Filler With Handshower and
White Porcelain Lever Diverter in Chrome

STYLE No. 332898

REFERENCE No. ETTU60C

ITEM No. 09-47326-54625

SPECIFICATIONS

PAGE 3 OF 3

SPECIFICATIONS

Primary Material: Brass
Handle Spread Maximum: 5 ⁹¹/₁₀₀"
Handle Spread Minimum: 5 ⁹¹/₁₀₀"
Inlet Connection Size: ³/₄"
Inlet Connection Type: Supply Nut
Inlet Supply Spread Maximum: 5 ⁹¹/₁₀₀"
Inlet Supply Spread Minimum: 5 ⁹¹/₁₀₀"
Maximum Deck Thickness:
Minimum Deck Thickness:
Maximum Water Pressure: 80 psi
Minimum Water Pressure: 20 psi
Fittings Hole Diameter:
Recommended Water Pressure: 45 psi

CARE INSTRUCTIONS

To clean the finish, wipe gently with a soft damp cloth and then with a soft dry towel. A mild soap solution can be used for daily cleaning.

CODES AND STANDARDS

FLOW RATE CURVE

REQUIRED PLUMBING DETAILS

Below is a list of choices that must be made to complete your lavatory faucet.