



With a heritage of superior craftsmanship, Architectonics handmade tile has been meticulously refined throughout 20 years of evolving shapes, field sizes, textures, colors, moldings and trims. Inspired by global design, the collection's latest introductions give broader artistic sensibility to surfaces.



HANDMADE FIELD TILE






HANDMADE FIELD TILE




8" x 16"















6" x 6" Groove Relief



6" x 6" Groove Embossed



6" x 6" Reflection Petite



6" x 6" Reflection Grande



6" x 6" Tangier Petite



6" x 6" Tangier Grande



6" x 6" Hexad Petite



6" x 6" Hexad Grande



6" x 6" Traverse Petite



6" x 6" Traverse Grande



6" x 6" Frame Petite



6" x 6" Frame Grande





4 ½" X 4 ½" Diamond and Dot



8" x 8" Jigsaw




3" x 6" Wing



Architectonics




HANDMADE CLASSIC REVIVAL





HANDMADE FOLIAGE





Architectonics

HANDMADE UNIVERSAL TRIM






HANDMADE UNIVERSAL TRIM





Architectonics




^{*} Not to Scale



Architectonics


HANDMADE ORBIT






Architectonics

......






DUST-PRESSED






DUST-PRESSED






Architectonics



- V1. MINIMAL, IF ANY COLOR VARIATION
 V2. SLIGHT COLOR VARIATION CAN BE EXPECTED
 V3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
 V4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
 V5. EXTREME COLOR VARIATION CAN BE EXPECTED THE RANGE IS OFTEN DIFFERING BUT COMPLIMENTARY





- V1. MINIMAL, IF ANY COLOR VARIATION
 V2. SLIGHT COLOR VARIATION CAN BE EXPECTED
 V3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
 V4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
 V5. EXTREME COLOR VARIATION CAN BE EXPECTED THE RANGE IS OFTEN DIFFERING BUT COMPLIMENTARY



Architectonics



- V1. MINIMAL, IF ANY COLOR VARIATION
 V2. SLIGHT COLOR VARIATION CAN BE EXPECTED
 V3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
 V4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
 V5. EXTREME COLOR VARIATION CAN BE EXPECTED THE RANGE IS OFTEN DIFFERING BUT COMPLIMENTARY



Architectonics



- V1. MINIMAL, IF ANY COLOR VARIATION
 V2. SLIGHT COLOR VARIATION CAN BE EXPECTED
 V3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
 V4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
 V5. EXTREME COLOR VARIATION CAN BE EXPECTED THE RANGE IS OFTEN DIFFERING BUT COMPLIMENTARY



Architectonics



- V1. MINIMAL, IF ANY COLOR VARIATION
 V2. SLIGHT COLOR VARIATION CAN BE EXPECTED
 V3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
 V4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
 V5. EXTREME COLOR VARIATION CAN BE EXPECTED THE RANGE IS OFTEN DIFFERING BUT COMPLIMENTARY



Architectonics



- V1. MINIMAL, IF ANY COLOR VARIATION
 V2. SLIGHT COLOR VARIATION CAN BE EXPECTED
 V3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
 V4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
 V5. EXTREME COLOR VARIATION CAN BE EXPECTED THE RANGE IS OFTEN DIFFERING BUT COMPLIMENTARY





- V1. MINIMAL, IF ANY COLOR VARIATION
 V2. SLIGHT COLOR VARIATION CAN BE EXPECTED
 V3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
 V4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
 V5. EXTREME COLOR VARIATION CAN BE EXPECTED THE RANGE IS OFTEN DIFFERING BUT COMPLIMENTARY





<sup>V1. MINIMAL, IF ANY COLOR VARIATION
V2. SLIGHT COLOR VARIATION CAN BE EXPECTED
V3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
V4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
V5. EXTREME COLOR VARIATION CAN BE EXPECTED - THE RANGE IS OFTEN DIFFERING BUT COMPLIMENTARY</sup>





- V1. MINIMAL, IF ANY COLOR VARIATION
 V2. SLIGHT COLOR VARIATION CAN BE EXPECTED
 V3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
 V4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
 V5. EXTREME COLOR VARIATION CAN BE EXPECTED THE RANGE IS OFTEN DIFFERING BUT COMPLIMENTARY



ARCHITECTONICS

IN-STOCK PROGRAM

COLOR PALETTE



Mykonos Glossy Solid Variation level 2



Paperwhite Glossy Layered Variation level 3



Icewater Glossy Crackle Variation level 5



Pumice Glossy Crackle Variation level 5



Dove Glossy Solid Variation Level 5

FIELD



3 x 6 *



 $4 \frac{1}{4} \times 8 *$

MOLDINGS/TRIMS*





1 ³/₄ x 6 Universal Dado Rail ^o



2 ¾ x 6 Universal Empire Rail °



 6×6 Universal Standard Base $^{\circ}$


All sizes in this catalog are nominal. Standard acceptable variation may be up to 1/8" from the targeted measure-


^{*} Coordinating bullnose available

 $^{^{\}circ}$ Coordinating stop ends available



Architectonics





Application Notes

- * Suitable for use in wet environments, including steam showers, if properly installed, sealed, and maintained
- ** Rangoon Red CANNOT be used on fireplace surround; Metalics not recommended for kitchen backsplash
- [†] Suitable above waterline in tropical/subtropical climates ONLY
- ^{††} Suitable for light traffic ONLY (small format 3 x 3 or smaller)
- *** Suitable for exterior use in tropical/subtropical climate ONLY

Installation / Maintenance

- WATERWORKS ASSUMES NO RESPONSIBILITY FOR INSTALLATION
- Installation constitutes acceptance.
- Tile should be installed by a licensed and experienced tile setter.
- Refer to TCNA (Tile Council of North America) or ANSI standards for installation guidelines.
- All tile must be inspected PRIOR to installation.
- Dry lay tile prior to installation to allow for blending of color variation.
- Relief decorative tiles should be taped off during grouting for protection and to facilitate clean up.
- Tile should be sealed PRIOR to grouting. Dark grout may stain crackle tile.
- · Waterworks recommends a grouted test panel prior to installation to understand final appearance of grouted materials.
- Seal tile and grout joints after installation and maintain regularly.

