#### WATERWORKS

PRODUCT SUPPORT 800.927.2120 WATERWORKS.COM

# **JULIA**

Two Hole Kitchen Mixer with Metal Lever Handles in Chrome

STYLE No. JUKM09

REFERENCE No. JUKM09C ITEM No. 07-56733-50916

# **SPECIFICATIONS** PAGE 1 OF 3

#### **DESIGN**

Representative of 1920's French country, Julia speaks to decoration and intricate design displayed through beautifully composed of a kitchen spray turnings. These details embody the signature high profile spout enabling Julia to fit seamlessly in any bath setting.

#### **FEATURES**

Swivel spout features a single lever, with white porcelain index, allowing for single-handed operation. The addition completes the look and funtionality of any kitchen.

This item is stocked in a Chrome, Nickel or Matte Nickel finishes and additional made-to-order finish options are available in 12 weeks from purchase.

Available with metal, wood or porcelian handle materials as well as madeto-order materials including semiprecious stones.

Flow rate regulated at 2.2 gallons per minute (gpm).

Complies with 0.25% Weighted Average Lead Content (WALC).



SHOWN IN finish/color

# **WATERWORKS**

PRODUCT SUPPORT 800.927.2120 WATERWORKS.COM

# **JULIA**

Two Hole Kitchen Mixer with Metal Lever Handles in Chrome


STYLE No. JUKM09

**REFERENCE No.** JUKM09C **ITEM No.** 07-56733-50916

#### **SPECIFICATIONS**

PAGE 2 OF 3

All dimensions are based on original specifications and are subject to change and variation. Please consult your Design Associate for current specifications.



# **WATERWORKS**

PRODUCT SUPPORT 800.927.2120 WATERWORKS.COM

# **JULIA**

Two Hole Kitchen Mixer with Metal Lever Handles in Chrome

STYLE No. JUKM09

**REFERENCE No.** JUKM09C **ITEM No.** 07-56733-50916

# **SPECIFICATIONS**

PAGE 3 OF 3

# **SPECIFICATIONS**

Primary Material: Brass
Handle Spread Maximum:
Handle Spread Minimum:
Inlet Connection Size: ¾"
Inlet Connection Type: Straight Female
Threads
Inlet Supply Spread Maximum:
Inlet Supply Spread Minimum:
Maximum Deck Thickness:
Minimum Deck Thickness: 0"
Maximum Water Pressure: 80 psi
Minimum Water Pressure: 20 psi
Fittings Hole Diameter: 1½"

Restricted Maximum Flow Rate: 2.2 gpm

Recommended Water Pressure:

# CARE INSTRUCTIONS

To clean the finish, wipe gently with a soft damp cloth and then with a soft dry towel. A mild soap solution can be used for daily cleaning.

CODES AND STANDARDS FLOW RATE CURVE

#### REQUIRED PLUMBING DETAILS

Below is a list of choices that must be made to complete your lavatory faucet.