



Optix encompasses two collections, Glacier Bay and Watercolors.

This glass tile evokes the environmental features of the Pacific

Northwest. The hues, tints and shades of the palette reflect a place


of monumental beauty where inspiration is from

surrounding landscape.




# Optix

#### GLACIER BAY MOSAIC



#### GLACIER BAY FIELD TILE





# Optix

#### GLACIER BAY FIELD TILE







4" x 6"



4" x 8"



4" x 12"



6" x 6"



6" x 12"



GLACIER BAY FIELD TILE



12" x 12"




12" x 24"



## Optix

#### GLACIER BAY ARCHITECTURAL TRIM



\*Not to Scale



# Optix

#### WATERCOLORS MOSAIC



1" x 4" Stacked



1" x 6" Stacked



2" Stacked



2" x 4" Stacked



1" x 4" Staggered



1" x 6" Staggered




2" x 4" Staggered



# Optix

#### WATERCOLORS FIELD TILE




4" x 12" \*

\*available as beveled



#### WATERCOLORS FIELD TILE





\*available as beveled



## Optix

#### WATERCOLORS ARCHITECTURAL TRIM



\*Not to Scale



# Optix



All colors available in Glossy and Matte



# Optix



All colors available in Glossy and Matte





All colors available in Glossy and Matte






All colors available in Glossy and Matte



## Optix



# Variation Level V1 V2 V3 V4 V5 1. MINIMAL, IF ANY COLOR VARIATION 2. SLIGHT COLOR VARIATION CAN BE EXPECTED 3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT 4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES

5. EXTREME COLOR VARIATION CAN BE EXPECTED - THE RANGE IS OFTEN DIFFERING BUT COMPLEMENTARY

#### **Application Notes**

- \* Suitable for use in wet environments, including steam showers, if properly installed, sealed, and maintained
- \*\* Optix Glacier Bay colors are suitable for interior and exterior floors with light traffic (matte sizes up to 6x6 and glossy up to 2x2). NOT suitable for Optix Watercolors.
- † Suitable for use in tropical/subtropical climates ONLY
- †† Optix Glacier Bay colors are suitable for shower floors if properly installed, sealed, and maintained (matte sizes up to 6x6 and glossy up to 2x2). NOT suitable for Optix Watercolors.

#### Installation / Maintenance

- WATERWORKS ASSUMES NO RESPONSIBILITY FOR INSTALLATION
- Installation constitutes acceptance.
- Tile should be installed by a licensed and experienced tile setter.
- ullet Refer to TCNA (Tile Council of North America) or ANSI standards for installation guidelines.
- All tile must be inspected PRIOR to installation.
- Dry lay tile prior to installation to allow for blending of color variation.
- Waterworks recommends a grouted test panel prior to installation to understand final appearance of grouted materials
- Seal grout joints after installation and maintain regularly.
- Installation guidelines are available.

