

WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

UNIVERSAL

Spray Bar in Chrome

STYLE No. 500778
REFERENCE No. AESH76C
ITEM No. 05-89197-27022

SPECIFICATIONS
PAGE 1 OF 3

DESIGN

FEATURES



SHOWN IN Nickel

WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

UNIVERSAL


Spray Bar in Chrome

STYLE No. 500778
REFERENCE No. AESH76C
ITEM No. 05-89197-27022

SPECIFICATIONS

PAGE 2 OF 3

All dimensions are based on original specifications and are subject to change and variation. Please consult your Design Associate for current specifications.



WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

UNIVERSAL

Spray Bar in Chrome

STYLE No. 500778
REFERENCE No. AESH76C
ITEM No. 05-89197-27022

SPECIFICATIONS

PAGE 3 OF 3

SPECIFICATIONS

Primary Material: Brass
Inlet Connection Size: ½"
Inlet Connection Type: Female NPT
Maximum Water Pressure: 75 psi
Minimum Water Pressure: 20 psi
Fittings Hole Diameter:
Recommended Water Pressure:
Restricted Maximum Flow Rate:

CARE INSTRUCTIONS

To clean the finish, wipe gently with a soft damp cloth and then with a soft dry towel. A mild soap solution can be used for daily cleaning.

CODES AND STANDARDS

ASME A112.18.1, CSA B125, IAPMO, State of MA

FLOW RATE CURVE

REQUIRED PLUMBING DETAILS

Below is a list of choices that must be made to complete your lavatory faucet.