

FORMWORK

FM3T10

Formwork Three Way Diverter Valve Trim for Thermostatic System with Metal Lever Handle



SHOWN IN FORMWORK THREE WAY DIVERTER VALVE TRIM FOR THERMOSTATIC SYSTEM WITH METAL LEVER HANDLE| FM3T10

TECHNICAL DETAILS

Adjustable Shelves: N
 Control Valve Rough-in Depth Maximum: 121 mm
 Control Valve Rough-in Depth Minimum: 79 mm
 Diverter Valve Rough-in Depth Maximum: 121 mm
 Diverter Valve Rough-in Depth Minimum: 79 mm
 Escutcheon Primary Material: Brass
 Fittings Hole Diameter: 64 mm
 Depth / Width: 44 mm
 Height: 106 mm
 Integrated Diverter: N
 Integrated Spray: N
 Length: 95 mm
 Number of Handles: One
 Pivot: N
 Primary Material: Brass
 Spout Swivel: N
 Spray Included in Unit: N
 Suggested Application: Bath

INSPIRATION

Sculptural forms that defy the ordinary. Unexpected geometry and the transition of the planes create a subtle but warm expression.

CODES & STANDARDS

Code # FM3T10X: Certified with cUPC, NSF, IAPMO, CSA

PRODUCT FEATURES

Lever Handles

Allows water to be switched between different shower features such as a shower head, handshower, rain head, or tub spout


CERTIFICATIONS



FORMWORK

FM3T10


Formwork Three Way Diverter Valve Trim for Thermostatic System with Metal Lever Handle




TOP VIEW SCALE: 3"=1'-0"



ISO VIEW SCALE: 3"=1'-0"



FRONT VIEW SCALE: 3"=1'-0"



SIDE VIEW SCALE: 3"=1'-0"