

WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

AMELIE

Bridge Three Hole Deck Mounted Lavatory
Faucet with Metal Lever Handles in Chrome

STYLE No. AMLS20

REFERENCE No. AMLS20C

ITEM No. 07-85048-02972

SPECIFICATIONS

PAGE 1 OF 3

DESIGN

Amelie stately embellished and alluring, a romantic aesthetic underscores sublime craftsmanship

FEATURES

Brass material is used for all trim and valve component parts.

The manufacturing process encompasses casting, turning, forging, hand-fitting and hand polishing.

Available option that complies with 0.25% Weighted Average Lead Content (WALC).



SHOWN IN Nickel

WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

AMELIE

Bridge Three Hole Deck Mounted Lavatory
Faucet with Metal Lever Handles in Chrome

STYLE No. AMLS20


REFERENCE No. AMLS20C

ITEM No. 07-85048-02972

SPECIFICATIONS

PAGE 2 OF 3

All dimensions are based on original specifications and are subject to change and variation. Please consult your Design Associate for current specifications.



WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

AMELIE

Bridge Three Hole Deck Mounted Lavatory
Faucet with Metal Lever Handles in Chrome

STYLE No. AMLS20

REFERENCE No. AMLS20C

ITEM No. 07-85048-02972

SPECIFICATIONS

PAGE 3 OF 3

SPECIFICATIONS

Primary Material: Brass
Drain Depth Maximum: 1 ¾"
Drain Depth Minimum: 1 ⅜"
Drain Hole Diameter: 1 ⅝"
Drain Style: Pop-up
Handle Spread Maximum: 12"
Handle Spread Minimum: 8"
Inlet Connection Size: ½"
Inlet Connection Type: Male with supply nut
Inlet Supply Spread Maximum: 12"
Inlet Supply Spread Minimum: 8"
Maximum Deck Thickness: 1 ⅜"
Minimum Deck Thickness: 0"
Maximum Water Pressure: 80 psi
Minimum Water Pressure: 20 psi
Fittings Hole Diameter: 1 ⅜"
Recommended Water Pressure: 45 psi
Restricted Maximum Flow Rate: 2.2 gpm

CARE INSTRUCTIONS

Wash surfaces gently with a soft damp cloth;
use a neutral liquid soap with water for daily
cleaning, dry any overspray.

CODES AND STANDARDS

Complies with ASME A112.18.1 / CSA B125.1,
ASME A112.18.2 / CSA B125.2 & ADA. Certified
with IAPMO & NSF

FLOW RATE CURVE

REQUIRED PLUMBING DETAILS

Below is a list of choices that must be
made to complete your lavatory faucet.