

WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

UNIVERSAL


3 ¼" Shower Head, Arm and Flange with
Fixed Spray in Chrome

STYLE No. 463106
REFERENCE No. WWSH37C
ITEM No. 05-41293-40425

SPECIFICATIONS
PAGE 1 OF 3

DESIGN

FEATURES



SHOWN IN finish/color

WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

UNIVERSAL

3 ¼" Shower Head, Arm and Flange with
Fixed Spray in Chrome


STYLE No. 463106

REFERENCE No. WWSH37C

ITEM No. 05-41293-40425

SPECIFICATIONS
PAGE 2 OF 3

All dimensions are based on original specifications and are subject to change and variation. Please consult your Design Associate for current specifications.



WATERWORKS

PRODUCT SUPPORT
800.927.2120
WATERWORKS.COM

UNIVERSAL

3 ¼" Shower Head, Arm and Flange with
Fixed Spray in Chrome

STYLE No. 463106
REFERENCE No. WWSH37C
ITEM No. 05-41293-40425

SPECIFICATIONS
PAGE 3 OF 3

SPECIFICATIONS

Primary Material: Brass
Inlet Connection Size: ½"
Inlet Connection Type: Male NPT
Maximum Water Pressure:
Minimum Water Pressure: 0 psi
Fittings Hole Diameter: 7/8"
Recommended Water Pressure:
Restricted Maximum Flow Rate: 2.5 gpm

CARE INSTRUCTIONS

To clean the finish, wipe gently with a soft damp cloth and then with a soft dry towel. A mild soap solution can be used for daily cleaning.

CODES AND STANDARDS

ASME A112.18.1 / CSA B125.1, IAPMO, State of MA

FLOW RATE CURVE

REQUIRED PLUMBING DETAILS

Below is a list of choices that must be made to complete your lavatory faucet.