



ESTB. 1978

WATERWORKS

Keystone



From remote mountains to ancient caves, we hand select only those stones that offer the quintessential color, tone, variation, surface activity, texture and strength. Each a unique and natural work of art. That is when we know we have found the perfect Keystone.



ESTB. 1978

WATERWORKS

Keystone



Venato

V2

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
6" x 30" ^{P, H} 24" x 36" ^{P, H}
12" x 12" ^{P, H} 18" x 18" ^{P, H}
24" x 24" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Imperial Danby

V3

FIELD TILE

6" x 18" ^{P, H} 18" x 18" ^{P, H}

MOSAIC **

2.5cm Hexagon ^{P, H}

MOLDINGS *

Stowe Rail 1 7/8" x 18" ^{P, H}
Stowe Base 6" x 18" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}
5cm ^{P, H}



Petronelli

V4

FIELD TILE

12" x 12" ^{P, H} 12" x 24" x 1/2" ^H

MOSAIC **

2.5cm Stacked ^H
2.5cm x 10cm Herringbone ^P

MOLDINGS *

Square Liner 3/4" x 12" ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"


^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Thassos Select V1

FIELD TILE

3" x 6" ^{P, H} 6" x 12" ^{P, H}
12" x 12" ^{P, H} 18" x 18" x 1/2" ^{P, H}

MOSAIC **

2cm Stacked ^{P, T}
1/2" x 1 1/4" Staggered ^P
3cm x 5cm Basketweave ^P

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"B" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Calacatta V4

FIELD TILE

3" x 6" ^{P, H} 6" x 12" ^{P, H}
12" x 24" ^{P, H} 24" x 36" ^{P, H}
12" x 12" ^{P, H} 18" x 18" ^{P, H}

MOSAIC **

2 cm Stacked ^{P, H}
1/2" x 3/4" Staggered ^{P, H}
2.5cm Hexagon ^{P, H}
3" Hexagon ^{P, H}
3cm x 5cm Basketweave ^{P, H}
1.5cm Hand Clipped ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}
5cm ^P



Statuary V3

FIELD TILE

3" x 6" ^{P, H} 6" x 12" ^{P, H}
12" x 24" ^{P, H} 12" x 12" ^{P, H}
18" x 18" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}
1/2" x 3/4" Staggered ^{P, H}
2.5cm Hexagon ^{P, H}
3" Hexagon ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Aurora

V2

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Agatha

V3

FIELD TILE

6" x 12" ^{P, H} 12" x 12" ^{P, H}
12" x 24" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

"A" Rail 1 3/4" x 12" ^{P, H}
Pencil Liner 5/8" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Plumeria

V4

FIELD TILE

12" x 24" ^P

SLABS

2cm ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Carrara

V3

FIELD TILE

3" X 6" ^{P, H} 6" X 12" ^{P, H}
 3" X 16" ^{P, H} 12" X 24" ^{P, H}
 12" X 12" ^{P, H} 18" X 18" ^{P, H}
 12" Hexagon ^H

MOSAIC **

2cm Stacked ^{P, H}
 1/2" x 1 1/4" Staggered ^P
 1 7/8" x 3 3/4" Staggered ^{P, H}
 1.5cm x 3cm Herringbone ^P
 3cm x 6cm Herringbone ^P
 2.5cm Hexagon ^{P, H}
 2" Hexagon ^{P, H, T}
 3" Hexagon ^{P, H}
 3cm x 5cm Basketweave ^P
 1.5cm Hand Clipped ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
 "A" Rail 1 3/4" x 12" ^{P, H}
 Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
 3cm ^{P, H}
 5cm ^{P, H}



Cielo

V4

FIELD TILE

12" x 24" ^P

SLABS

2cm ^{P, H}
 3cm ^{P, H}



Savoy

V4

FIELD TILE

12" x 12" ^P 12" x 24" ^P

MOSAIC **

2cm Stacked ^P

SLABS

2cm ^{P, H}
 3cm ^{P, H}

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Silver Quartzite

V2

FIELD TILE

12" x 24" ^H

SLABS

2cm ^P



Aran Gray

V2

FIELD TILE

12" x 24" ^H

12" x 12" ^H

SLABS

2cm ^H

3cm ^H



Zephyr

V3

FIELD TILE

12" x 24" ^P

12" x 12" ^P

3" x 6" ^P

6" x 24" ^P

MOSAIC **

2.5cm Stacked ^P

Random Stripe ^P

MOLDINGS *

Pencil Liner 5/8" x 12" ^P

"A" Rail 1 3/4" x 12" ^P

SLABS

2cm ^{P, H}

3cm ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Silver Lining

V5

FIELD TILE

12" x 24" ^H 6" x 36" ^H
18" x 36" ^H

MOSAIC **


2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 12" ^H

SLABS

2cm ^H



Palissandro

V4

FIELD TILE

12" x 24" ^P

MOSAIC **

2cm Stacked ^P


MOLDINGS *

Empire Rail 3/4" x 12" ^P

SLABS

2cm ^P

3cm ^P



Bardiglio Dark

V3

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
6" x 30" ^{P, H} 24" x 36" ^{P, H}
12" x 12" ^{P, H} 18" x 18" ^{P, H}
24" x 24" ^{P, H} 12" Hexagon ^H

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}

3cm ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"


^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Piedmont Blonde V3

FIELD TILE

8" x 8" x 3/4" ^{HH} 8" x 16" x 3/4" ^{HH}
16" x 16" x 3/4" ^{HH} 16" x 24" x 3/4" ^{HH}

SLABS

2cm ^H



Vanilla Cream V3

FIELD TILE

6" x 12" ^{P, H} 12" x 24" x 1/2" ^{P, H}
12" x 12" ^{P, H} 16" x 16" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}

"A" Rail 1 3/4" x 12" ^{P, H}

Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}

3cm ^{P, H}



Crema D'orcía V2

FIELD TILE

12" x 12" x 5/8" ^H 12" x 24" x 5/8" ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Arrowroot

V3

FIELD TILE

6" x 12" x 1/2" ^{P, H} 3" x 16" x 1/2" ^H
12" x 24" x 1/2" ^{P, H} 12" x 12" x 1/2" ^{P, H}
16" x 16" x 1/2" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H, T}
1/2" x 1 1/4" Staggered ^P
1.5cm x 3cm Herringbone ^{P, T}
3cm x 6cm Herringbone ^P
2.5cm Hexagon ^{P, T}
2" Hexagon ^P
3cm x 5cm Basketweave ^P
1 7/8" X 3 3/4" Staggered ^T

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Amaro

V4

FIELD TILE

12" x 24" ^P

SLABS

2cm ^{P, H}
3cm ^{P, H}



Cataldo

V4

FIELD TILE

12" x 24" ^P

MOSAIC **

2cm Stacked ^P

MOLDINGS *

Empire Rail 3/4" x 12" ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Cirrus

V3

FIELD TILE

6" x 12" ^{P, H}

12" x 24" ^{P, H}

12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

SLABS

2cm ^{P, H}



Carlotta

V4

FIELD TILE

12" x 24" ^H

SLABS

2cm ^P



Silk Georgette

V3

FIELD TILE

12" x 24" ^H

SLABS

2cm ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



White Onyx

V4

FIELD TILE

12" x 12" ^{P, H}

MOSAIC **

2.5cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}

"A" Rail 1 3/4" x 12" ^{P, H}

Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^P

3cm ^H



Alpaca

V3

FIELD TILE

10" x 20" x 5/8" ^H

MOSAIC **

2 cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 20" ^H

SLABS

2cm ^H

3cm ^H



Silver Cloud

V3

FIELD TILE

2.5" x 20" ^H

5" x 20" ^H

10" x 20" ^H

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 20" ^H

SLABS

2cm ^H

3cm ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Piedmont

V3

FIELD TILE

8" x 16" ^{H, HH} 16" x 24" ^{H, HH}
8" x 8" ^{H, HH} 16" x 16" ^{H, HH}
24" x 24" ^{H, HH}

(Hand honed 3/4" thick)

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 16" ^H

SLABS

2cm ^H
3cm ^H



Nero Marquina

V3

FIELD TILE

6" x 12" ^{P, H} 12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}
2.5cm Stacked ^T

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Raven

V3

FIELD TILE

10" x 20" x 3/8" ^H

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 20" ^H

SLABS

2cm ^H
3cm ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Basalt

V2

FIELD TILE

6" x 12" ^H 3" x 16" ^H
12" x 24" ^H 12" x 12" ^H
16" x 16" ^H

MOSAIC **

2cm Stacked ^H
2" Stacked ^H
2.5cm Hexagon ^H
3" Hexagon ^H

MOLDINGS *

Empire Rail 1/2" x 12" ^H
Standard Base 5" x 12" ^H

SLABS

2cm ^H
3cm ^H



Vulcan

V3

FIELD TILE

12" x 24" ^H



Monterey

V3

FIELD TILE

12" x 24" ^H

MOSAIC **

2.5cm Stacked ^{TF}

MOLDING *

Empire Rail 5/8" x 12" ^F

SLABS

2cm ^F
3cm ^F

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Baja

V3

FIELD TILE

12" x 24" ^{P, H}

12" x 12" ^{P, H}

SLABS

2cm ^{P, H}



Redwood

V5

FIELD TILE

12" x 12" ^P

MOSAIC **

1.5cm Stacked ^P

MOLDINGS *

Pencil Liner 5/8" x 12" ^P



Adair

V5

FIELD TILE

3" x 12" ^P

MOSAIC **

Chevron ^P

Diamond ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"


^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Portoro Gold

V4

FIELD TILE
12" x 12" ^P

SLABS
2cm ^P



Sultana

V4

FIELD TILE
12" x 24" ^P

SLABS
2cm ^P



Dearborn

V5

FIELD TILE
3" x 12" ^P

MOSAIC **
Chevron ^P
Diamond ^P

SLABS
2cm ^P
3cm ^P

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS


Keystone



FABRIC

Available in the following color:
Monterey V3

Available in following size:
12" x 24"



BAMBOO

Available in the following color:
Crema D'Orcia V2

Available in following size:
11 1/2" x 23"



BRUSHED ANTIQUE

Available in the following color:
Carlotta V4

Available in following size:
4" x 18"



FLAMED

Available in the following color:
Monterey V3


Available in following sizes:
12" x 24"



BRUSHED & FLAMED

Available in the following color:
Basalt V2

Available in following size:
16" x 24" x 3/4"



COMBED

Available in the following color:
Basalt V2
Monterey V3

Available in following size:
12" x 24"
Basalt 12" x 24" x 1/2"

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"



ESTB. 1978

WATERWORKS

Keystone



DOMINO

Available in the following colors:

Carrara V3
Vulcan V3

Available in following sizes:

4 1/2" x 7 3/4"



GLYPHIC

Available in the following colors:

Silk Georgette V3
Vulcan V3

Available in following size:

8" x 24" x 1/2"



ANTIQUED

Available in the following colors:


Ash V3 Dakota V3
Biscuit V3 Kirby V3
Carrara V3

Available in following sizes:

10" x 16" x 3/4"
16" x 16" x 3/4"

2cm Slab

Available with Clean Edge or
Chiseled Edge



RESTORED

Available in the following colors:

Ash V3 Dakota V3
Biscuit V3 Kirby V3
Carrara V3 Prunella V4

Available in following sizes:

10" x 16" x 3/4"
16" x 16" x 3/4"

2cm Slab

Available with Clean Edge or
Chiseled Edge


*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"



ESTB. 1978

WATERWORKS


Keystone Moldings




12" PENCIL LINER
5/8" x 12" (KSLN01)




12" SQUARE PENCIL LINER
3/4" x 12" (KSLN03)




12" EMPIRE RAIL
1/2" x 12" (KSRL06)



"A" RAIL
1 3/4" x 12" (KSRL01)




"B" RAIL
1 3/4" x 12" (KSRL24)




EMPIRE RAIL
5/8" x 12" (KSRL06)



EMPIRE RAIL
3/4" x 12", 3/4" x 16", 3/4" x 20" (KSRL06)



STANDARD BASE
5" x 12" (KSBS01)




STOWE RAIL
1 7/8" x 18" (KSRLS1)




ESTB. 1978

WATERWORKS


Keystone Mosaics




1.5cm STACKED
(KSMS15)




2cm STACKED
(KSMS02)




2.5cm STACKED
(KSMS11)




2" STACKED
(KSMS22)




1.5cm STAGGERED
(KSSM15)




1/2" x 3/4" STAGGERED
(KSSM75)




1/2" x 1 1/4" STAGGERED
(KSSM12)




1 7/8" x 3 3/4" STAGGERED
(KSSM02)




2.5cm HEXAGON
(KSMOH2)




2" HEXAGON
(KSMOX2)




3" HEXAGON
(KSMOH8)




1.5cm HANDCLIPPED
(KSSMHC)




3cm x 5cm BASKETWEAVE
(KSMOB3)




1.5cm x 3cm HERRINGBONE
(KSMOHB)




2.4cm x 10cm HERRINGBONE
(KSMOH1)




3cm x 6cm HERRINGBONE
(KSMOH3)



CHEVRON
(KSMOC1)



DIAMOND
(KSMOD1)




RANDOM STRIPE
(KSMORD)



ESTB. 1978

WATERWORKS

Keystone



Recommended Use



Not Recommended Use

Application Notes

* Suitable for use in wet environments, including steam showers, if properly installed, sealed, and maintained

**For commercial applications, please inquire.


† Application varies by stone. Please inquire for more information.

Installation / Maintenance


- WATERWORKS ASSUMES NO RESPONSIBILITY FOR INSTALLATION
- Installation constitutes acceptance.
- Tile should be installed by a licensed and experienced tile setter.
- Refer to TCNA (Tile Council of North America) or ANSI standards for installation guidelines.
- All tile must be inspected PRIOR to installation.
- Dry lay tile prior to installation to allow for blending of color variation.
- Waterworks recommends a grouted test panel prior to installation to understand final appearance of grouted materials.
- Stone must be sealed before grout installation to allow grout to release and prevent staining.
- Stone and grout should be sealed after installation and maintained regularly.

Variation Level

V1




V2




V3



V4



V5



1. MINIMAL, IF ANY COLOR VARIATION


2. SLIGHT COLOR VARIATION CAN BE EXPECTED

3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT

4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES

5. EXTREME COLOR VARIATION CAN BE EXPECTED - THE RANGE IS OFTEN DIFFERING BUT COMPLEMENTARY

Thickness



*Nominal: +/- 1/8"

Suggested Grout Lines

1/16" - 1/8"