
ETOILE

ETLS66

Etoile Low Profile Two Hole Wall Mounted Lavatory Faucet (Straight Spout) with Cross Handles



TECHNICAL DETAILS

ADA Compliance: Yes Adjustable Versus Fixed Spray: Fixed Spray Depth/Width: 9" Drain Assembly Materials: Brass Drain Depth Maximum: 2 3/4" Drain Depth Minimum: 1" Drain Hole Diameter: 1 3/4" Drain Style: Lift and Turn Escutcheon Primary Material: Brass Fittings Hole Diameter: 1 1/4" Handle Spread Maximum: 7 7/8" Handle Spread Minimum: 7 7/8" Handle Turn Angle: Quarter Turn Height: 2 7/8" Index Color Finish And Material: White Porcelain Index Marking: H/C Inlet Connection Size: 1/2" Inlet Connection Type: Female NPT Inlet Supply Spread Maximum: 7 7/8" Inlet Supply Spread Minimum: 7 7/8" Installation Type: Wall Mounted Length: 10 1/4" Number Of Handles: Two Number Of Holes: Two Hole Primary Material: Brass Restricted Maximum Flow Rate: 1.2 gpm Spout Swivel: N Suggested Application: Bath Valve Material: Ceramic Water Pressure Maximum: 85.0 psi Water Pressure Minimum: 20.0 psi Water Pressure Recommended: 45.0 psi

INSPIRATION

Defined elegance. Etoile has a European sophistication with a timeless sense of chic.

CODES & STANDARDS

ETLS66X, NSF/ANSI/CAN 61:Q < 1, NSF/ANSI/CAN 372, ASME A112.18.1/CSA B125.1, CEC, State of MA

PRODUCT FEATURES

Metal cross handles

Includes European size lift and turn drain

Features dew-drop designed cross handles and graceful, elongated curves

Stocked in Chrome, Nickel, Matte Nickel, and Unlacquered Brass

Available in 1.2gpm (4.5L/min) flow rate

CERTIFICATIONS




PRODUCT (NOTES)

Sold with European style drain; USA style drain sold separately for use with non-Waterworks sinks.

ETOILE

Etoile Low Profile Two Hole Wall Mounted Lavatory Faucet (Straight Spout) with Cross Handles



ETLS66