


MasterPiece



Striking. Stylish. And equally transformative on walls and floors. Referencing classic wood designs, our MasterPiece styles are precisely engineered to capture the beauty of stone with an unexpected interplay of its veining and shadings. Natural variations in the stone lend the patterns an artful quality. Designs can be scaled up or down, letting you personalize a space of any size.



MasterPiece


MOSAIC



ASCEND PETITE MPMOAP



ASCEND GRANDE MPMOAG



BAR GRAPHIC PETITE MPMOBP




BAR GRAPHIC GRANDE MPMOBG




CORNERED BLOCK PETITE
MPMOCP



CORNERED BLOCK GRANDE MPMOCG



DIAMOND BLOCK PETITE
MPMODP




DIAMOND BLOCK GRANDE MPMODG



FRETWORK PETITE
MPMOFP



FRETWORK GRANDE MPMOFG



INLAY PETITE
MPMONP




INLAY GRANDE MPMONG



KERF BLOCK PETITE MPMOKP



KERF BLOCK GRANDE MPMOKG



LATTICE HEX PETITE
MPMOHP




LATTICE HEX GRANDE MPMOHG



MasterPiece

MOSAIC



SQUARE CUT PETITE

MPMOQP

TRIANGLE STREET PETITE

MPMOIP

SQUARE CUT GRANDE

MPMOQG

TWILL STRIPE PETITE

MPMOTP



MasterPiece



TWILL STRIPE GRANDE MPMOTG



WOVEN BANDS PETITE MPMOWP



WOVEN BANDS GRANDE MPMOWG



MasterPiece

STONE GROUPS



Arancio Di Selva











































Gold













Giallo





Blue Celeste













^{*} See variation chart on page 8

^{**}Honed Finish Only



MasterPiece

STONE GROUPS







































 $^{^{\}ast}\,$ See variation chart on page 8

^{**} Honed Finish Only

^{***12}x12/Tesserae Only



MasterPiece

IN-STOCK PROGRAM

MOSAICS



MONO GRAPHIC MPMIMG CALACATTA (H)



QUARTER SQUARE BLOCK MPMIQS

THASSOS (H)
CARRARA (H)
BARDIGLIO (H)



RUMBLE MPMITU

THASSOS (TUMBLED)




STACKED STRIPE
MPMISS

THASSOS (H & P)



MasterPiece




Application Notes

- * Various stones are suitable for use in wet environments, including steam showers, if properly installed, sealed, and maintained. Please inquire.
- [†] Some stones are suitable in tropical/subtropical climates. Testing may be required. Please inquire.

Installation / Maintenance

- WATERWORKS ASSUMES NO RESPONSIBILITY FOR INSTALLATION
- Installation constitutes acceptance.
- Mosaic should be installed by a licensed and experienced tile setter.
- Refer to TCNA (Tile Council of North America) or ANSI standards for installation guidelines.
- All mosaics must be inspected PRIOR to installation.
- Dry lay mosaics prior to installation to allow for blending of color variation.
- Waterworks recommends a grouted test panel prior to installation to understand final appearance of grouted materials.
- Stone must be sealed before grout installation to allow grout to release and prevent staining.
- Stone and grout should be sealed after installation and maintained regularly.



PLEASE REFER TO COLLECTION TEARSHEET FOR VARIATION LEVEL BY COLOR.

SAMPLING IS RECOMMENDED TO UNDERSTAND VARIATION OF MATERIAL


Product Variation

Color and surface variation is an inherent characteristic of natural materials and should be expected. Thickness and grout width will also vary and should be expected. Refer to our color variation ranking for further details. Please inquire for additional information.

Custom Opportunities Available

Minimums and extended lead-times may apply.

Please contact your local Waterworks showroom or our direct sales team at 800.899.6757.



Suggested Grout Lines

Varies- Please follow

mosaic sheet