



ESTB. 1978

WATERWORKS

Keystone



From remote mountains to ancient caves, we hand select only those stones that offer the quintessential color, tone, variation, surface activity, texture and strength. Each a unique and natural work of art. That is when we know we have found the perfect Keystone.



ESTB. 1978

WATERWORKS

Keystone



Bianca V4

FIELD TILE
12" x 24" ^H

MOSAIC **
Pastille ^H



Esmeralda V4

FIELD TILE
12" x 24" ^H



Castile V4

FIELD TILE
12" x 24" ^H

MOSAIC **
2" Hexagon ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT,
^S : SMOOTH, ^{HH} : HAND-HONED, ^B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Venato

V2

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
6" x 30" ^{P, H} 24" x 36" ^{P, H}
12" x 12" ^{P, H} 18" x 18" ^{P, H}
24" x 24" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}

Imperial Danby

V3

FIELD TILE

6" x 18" ^{P, H} 18" x 18" ^{P, H}

MOSAIC **

2.5cm Hexagon ^{P, H}

MOLDINGS *

Stowe Rail 1 7/8" x 18" ^{P, H}
Stowe Base 6" x 18" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}
5cm ^{P, H}

Petronelli

V4

FIELD TILE

12" x 12" ^{P, H} 12" x 24" x 1/2" ^H

MOSAIC **

2.5cm Stacked ^H
2.5cm x 10cm Herringbone ^P

MOLDINGS *

Square Liner 3/4" x 12" ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"


P : POLISHED, H : HONED, T : TUMBLED, F : FLAMED, TF : TUMBLED & FLAMED, A : ANCIENT,
S : SMOOTH, HH : HAND-HONED, B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Thassos Select V1

FIELD TILE

3" x 6" ^{P, H} 6" x 12" ^{P, H}
12" x 12" ^{P, H} 18" x 18" x 1/2" ^{P, H}

MOSAIC **

2cm Stacked ^P
1/2" x 1 1/4" Staggered ^P
3cm x 5cm Basketweave ^P

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"B" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Calacatta V4

FIELD TILE

3" x 6" ^{P, H} 6" x 12" ^{P, H}
12" x 24" ^{P, H} 24" x 36" ^{P, H}
12" x 12" ^{P, H} 18" x 18" ^{P, H}

MOSAIC **

2 cm Stacked ^{P, H}
1/2" x 3/4" Staggered ^H
2.5cm Hexagon ^{P, H}
3" Hexagon ^{P, H}
3cm x 5cm Basketweave ^{P, H}
1.5cm Hand Clipped ^H
6" Hexagon ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}
5cm ^P



Statuary V3

FIELD TILE

3" x 6" ^{P, H} 6" x 12" ^{P, H}
12" x 24" ^{P, H} 12" x 12" ^{P, H}
18" x 18" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}
1/2" x 3/4" Staggered ^{P, H}
2.5cm Hexagon ^{P, H}
3" Hexagon ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

P : POLISHED, H : HONED, T : TUMBLED, F : FLAMED, TF : TUMBLED & FLAMED, A : ANCIENT,
S : SMOOTH, HH : HAND-HONED, B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Aurora V2

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}
2.5cm Hexagon ^{P, H}
3" Hexagon ^{P, H}
3cm x 5cm Basketweave ^{P, H}
6" Hexagon ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Agatha V3

FIELD TILE

6" x 12" ^{P, H} 12" x 12" ^{P, H}
12" x 24" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

"A" Rail 1 3/4" x 12" ^{P, H}
Pencil Liner 5/8" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Kallos V4

FIELD TILE

12" x 24" ^H

MOSAIC **

Pastille ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

P : POLISHED, H : HONED, T : TUMBLED, F : FLAMED, TF : TUMBLED & FLAMED, A : ANCIENT,
S : SMOOTH, HH : HAND-HONED, B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Lilac V3

FIELD TILE

3" x 6" ^H 12" x 12" ^{P,H}
12" x 24" x 3/4" ^{P, H}

MOSAIC **

1" X 2" Staggered ^H
Chevron 1.5cm Handclipped
Chevron 2.5cm Handclipped

MOLDINGS*

"A" Rail 1 3/4" x 12" ^H
Pencil Liner 3/4" x 12" ^H

SLABS

2cm ^P



Plumeria V4

FIELD TILE

12" x 24" ^{P, H} 18" x 36" ^{P, H}

SLABS

2cm ^{P, H}



White Thassos V3

MOSAIC**

1cm Stacked ^P
2.5cm Hexagon ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT,
^S : SMOOTH, ^{HH} : HAND-HONED, ^B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Oriental White V4

FIELD TILE

6" x 12" ^H 12" x 12" ^H
12" x 24" ^H

MOSAIC**

2cm Stacked ^H

MOLDINGS *

Standard Base 5" x 12" ^H
Pencil Liner 5/8" x 12" ^H
"A" Rail 1 3/4" x 12" ^H



Ariel V4

FIELD TILE

3" x 6" ^P 6" x 12" ^P

MOSAIC**

Serpentine ^P Stella ^P
2cm Staggered ^P
3cm x 5cm Basketweave ^P
3" Hexagon ^P



Carrara V3

FIELD TILE

3" X 6" ^{P, H} 6" X 12" ^{P, H}
3" X 16" ^{P, H} 12" x 24" ^{P, H}
12" x 12" ^{P, H} 18" x 18" ^{P, H}
12" Hexagon ^H

MOSAIC **

2cm Stacked ^{P, H}
1 7/8" x 3 3/4" Staggered ^{P, H}
1.5cm x 3cm Herringbone ^P
3cm x 6cm Herringbone ^P
2.5cm Hexagon ^{P, H}
2" Hexagon ^{P, H, T}
3" Hexagon ^{P, H}
3cm x 5cm Basketweave ^P
1.5cm Hand Clipped ^H
6" Hexagon ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}
5cm ^{P, H}

See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

P : POLISHED, H : HONED, T : TUMBLED, F : FLAMED, TF : TUMBLED & FLAMED, A : ANCIENT,
S : SMOOTH, HH : HAND-HONED, B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Cielo V4

FIELD TILE
12" x 24" ^{P, H} 18" x 36" ^{P, H}

SLABS
2cm ^{P, H}
3cm ^{P, H}



Savoy V4

FIELD TILE
12" x 12" ^P 12" x 24" ^P

MOSAIC **
2cm Stacked ^P

SLABS
2cm ^{P, H}
3cm ^{P, H}



Linea V4

FIELD TILE
3" x 12" ^H 6" x 36" ^H
12" x 24" ^H 18" x 36" ^H

MOSAIC **
3" Hexagon ^H
2.5cm x 10cm Herringbone ^H
2cm ^H

SLABS
2cm ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT,
^S : SMOOTH, ^{HH} : HAND-HONED, ^B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Silver Quartzite V2

FIELD TILE
12" x 24" ^H

SLABS
2cm ^P



Silver Lining V5

FIELD TILE
12" x 24" ^H 6" x 36" ^H
18" x 36" ^H

MOSAIC **
2cm Stacked ^H
3" Hexagon ^H

MOLDINGS *
Empire Rail 3/4" x 12" ^H

SLABS
2cm ^H



Olympia V5

FIELD TILE
3" x 6" ^P 3" x 12" ^P
12" x 12" ^{P,H} 12" x 24" ^{P,H}

MOSAIC **
2.5cm x 10cm Herringbone ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT,
^S : SMOOTH, ^{HH} : HAND-HONED, ^B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Graystone V4

FIELD TILE

3" x 6" ^P 6" x 12" ^P

MOSAIC **

3cm x 5cm Basketweave ^P
3" Hexagon ^P



Piedmont Black V2

FIELD TILE

2" x 8" ^T
5" x 10" ^T



Hero V5

FIELD TILE

3" x 12" ^H 12" x 24" ^{H,B}

MOSAIC **

2.5cm Stacked ^H
2.5cm Hand Clipped ^H
3" Hexagon ^{H,B}

MOLDINGS *

"A" Rail 1 3/4" x 12" ^H
Pencil Liner 5/8" x 12" ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT,
^S : SMOOTH, ^{HH} : HAND-HONED, ^B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Invidia

V4

FIELD TILE
12" x 24" ^H




Athena

V5

FIELD TILE
3" x 12" ^H 6" x 12" ^H
12" x 24" ^H 18" x 18" ^H
16" x 32" ^H

MOSAIC **
2.5cm x 10cm Herringbone ^H
2" x 8" Picket ^H

MOLDINGS *
"A" Rail 1 3/4" x 12" ^H
Pencil Liner 5/8" x 12" ^H



Palissandro

V4

FIELD TILE
12" x 24" ^P

MOSAIC **
2cm Stacked ^P

MOLDINGS *
Empire Rail 3/4" x 12" ^P

SLABS
2cm ^P
3cm ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT,
^S : SMOOTH, ^{HH} : HAND-HONED, ^B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Bardiglio Dark V3

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
6" x 30" ^{P, H} 24" x 36" ^{P, H}
12" x 12" ^{P, H} 18" x 18" ^{P, H}
24" x 24" ^{P, H} 12" Hexagon ^H

MOSAIC **


2cm Stacked ^H
2.5cm Hexagon ^{P, H}
3" Hexagon ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Piedmont Blonde V3

FIELD TILE

8" x 8" x 3/4" ^{HH} 8" x 16" x 3/4" ^{HH}
16" x 16" x 3/4" ^{HH} 16" x 24" x 3/4" ^{HH}

SLABS

2cm ^H



White Onyx V4

FIELD TILE

12" x 12" ^{P, H}

MOSAIC **

2.5cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^P
3cm ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

P : POLISHED, H : HONED, T : TUMBLED, F : FLAMED, TF : TUMBLED & FLAMED, A : ANCIENT,
S : SMOOTH, HH : HAND-HONED, B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Vanilla Cream V4

FIELD TILE

6" x 12" ^{P, H} 12" x 24" x 1/2" ^{P, H}

12" x 12" ^{P, H} 16" x 16" ^{P, H}
SPECIAL ORDER

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}

"A" Rail 1 3/4" x 12" ^{P, H}

Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}

3cm ^{P, H}



Amaro V4

FIELD TILE

12" x 24" ^P

SLABS

2cm ^{P, H}

3cm ^{P, H}



Cataldo V4

FIELD TILE

12" x 24" ^P

MOSAIC **

2cm Stacked ^P

MOLDINGS *

Empire Rail 3/4" x 12" ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT,
^S : SMOOTH, ^{HH} : HAND-HONED, ^B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Cirrus V3

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

SLABS

2cm ^{P, H}



Silk Georgette V3

FIELD TILE

12" x 24" ^H

SLABS

2cm ^{P, H}



Roxanna V5

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^H

MOSAIC **

3" Hexagon ^{P, H}
2.5cm Penny Round ^H

MOLDINGS *

"A" Rail 1 3/4" x 12" ^H
Pencil Liner 5/8" x 12" ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT,
^S : SMOOTH, ^{HH} : HAND-HONED, ^B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Jade Green V5

FIELD TILE

6" x 12" ^{P, H} 12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^P

1/2" x 3/4" Staggered ^{P, H}

1" x 3" Picket ^P

Elongated Hexagon ^P

MOLDINGS *

"A" Rail 1 3/4" x 12" ^{P, H}

Pencil Liner 5/8" x 12" ^{P, H}

Standard Base 5" x 12" ^{P, H}



Silver Cloud V3

FIELD TILE

2.5" x 20" ^H 5" x 20" ^H

10" x 20" ^H

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 20" ^H

SLABS

2cm ^H

3cm ^H



Cleona V4

FIELD TILE

12" x 24" ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

P : POLISHED, H : HONED, T : TUMBLED, F : FLAMED, TF : TUMBLED & FLAMED, A : ANCIENT,
S : SMOOTH, HH : HAND-HONED, B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Piedmont V3

FIELD TILE

8" x 16" ^{H, HH} 16" x 24" ^{H, HH}
8" x 8" ^{H, HH} 16" x 16" ^{H, HH}
24" x 24" ^{H, HH}

(Hand honed 3/4" thick)

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 16" ^H

SLABS

2cm ^H
3cm ^H



Nero Marquina V3

FIELD TILE

6" x 12" ^{P, H} 12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}
2.5cm Stacked ^T

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Raven V3

FIELD TILE

12" x 24" x 1/2" ^H

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^H

SLABS

2cm ^H
3cm ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

P : POLISHED, H : HONED, T : TUMBLED, F : FLAMED, TF : TUMBLED & FLAMED, A : ANCIENT,
S : SMOOTH, HH : HAND-HONED, B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Basalt V2

FIELD TILE

6" x 12" ^H 3" x 16" ^H
12" x 24" ^H 12" x 12" ^H
16" x 16" ^H

MOSAIC **

2cm Stacked ^H
2" Stacked ^H
2.5cm Hexagon ^H
3" Hexagon ^H
6" Hexagon ^H

MOLDINGS *

Empire Rail 1/2" x 12" ^H
Standard Base 5" x 12" ^H

SLABS

2cm ^H
3cm ^H



Vulcan V3

FIELD TILE

12" x 24" ^H



Monterey V3

FIELD TILE

12" x 24" ^H

MOSAIC **

2.5cm Stacked ^{TF}

MOLDING *

Empire Rail 5/8" x 12" ^F

SLABS

2cm ^F
3cm ^F

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"


P : POLISHED, H : HONED, T : TUMBLED, F : FLAMED, TF : TUMBLED & FLAMED, A : ANCIENT,
S : SMOOTH, HH : HAND-HONED, B : Brushed



ESTB. 1978

WATERWORKS

Keystone



Portoro Gold

V4

FIELD TILE

12" x 12" ^P

SLABS

2cm ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT,
^S : SMOOTH, ^{HH} : HAND-HONED, ^B : Brushed



ESTB. 1978

WATERWORKS

Keystone




Fabric

Available in the following color:

Monterey V3

Available in following size:

12" x 24"



Sandblasted


Available in the following colors/size:

Bardiglio V3 12" x 24"

Carrara V3 12" x 24"

Piedmont V3

16" x Random Lengths x 3/4"



Flamed

Available in the following colors/sizes:

Monterey V3

12" x 24" (3/8" & 3/4")

Tuscan Gray V3

12" x 24" x 3/4"

Greige V3

16" x Random Lengths x 3/4"

Terreux V3

12" x 24" x 3/8"




Brushed & Flamed

Available in the following color:

Basalt V2

Available in following size:

16" x 24" x 3/4"



Combed

Available in the following colors:

Basalt V2

Monterey V3

Available in following size:

12" x 24"

(Basalt 1/2")

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted.
Dimensions Are Nominal +/- 1/8"



ESTB. 1978

WATERWORKS

Keystone



Sculpted Texture

Available in the following colors:

Crema V2 Carrara V3
Bardiglio V3 Piedmont V3

Available in following sizes*:

16" x 16" x 3/8"
16" x 24" x 3/8"



Mixed Texture

Available in the following color:

Solana V5

Available in following sizes*:

16" x Random Lengths x 3/4"



Ancient Texture

Available in the following color:

Gasbard V4

Available in following sizes*:

16" x Random Lengths x 3/4"

*Available with Rustic Edge Only



Glyphic

Available in the following colors:

Silk Georgette V3
Vulcan V3

Available in following size:

8" x 24" x 1/2"


*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"



ESTB. 1978

WATERWORKS


Keystone Moldings




12" PENCIL LINER
5/8" x 12" (KSLN01)




12" SQUARE PENCIL LINER
3/4" x 12" (KSLN03)




12" PENCIL LINER
3/4" x 12" (KSLN08)



12" EMPIRE RAIL
1/2" x 12" (KSRL06)



"A" RAIL
1 3/4" x 12" (KSRL01)




"B" RAIL
1 3/4" x 12" (KSRL24)




EMPIRE RAIL
5/8" x 12" (KSRL06)




EMPIRE RAIL
3/4" x 12", 3/4" x 16", 3/4" x 20" (KSRL06)



STANDARD BASE
5" x 12" (KSBS01)



STOWE BASE
6" x 18" (KBSB51)




STOWE RAIL
1 7/8" x 18" (KSRL51)




ESTB. 1978

WATERWORKS


Keystone Mosaics




1cm STACKED
(KSMS01)




2cm STAGGERED
(KSSM22)




2cm STACKED
(KSMS02)




2.5cm STACKED
(KSM511)




2" STACKED
(KSMS22)




1.5cm STAGGERED
(KSSM15)




1/2" x 3/4" STAGGERED
(KSSM75)




1/2" x 1 1/4" STAGGERED
(KSSM12)




1" x 2" STAGGERED
(KSSM14)




1 7/8" x 3 3/4" STAGGERED
(KSSM02)




2.5cm HEXAGON
(KSMOH2)




2" HEXAGON
(KSMOX2)




3" HEXAGON
(KSMOH8)




6" HEXAGON
(KSMO6X)




1.5cm HANDCLIPPED
(KSSMHC)




3CM HANDCLIPPED
(KSSM3C)




3cm x 5cm BASKETWEAVE
(KSMOB3)




1.5cm x 3cm HERRINGBONE
(KSMOHB)




2.4cm x 10cm HERRINGBONE
(KSMOH1)




3cm x 6cm HERRINGBONE
(KSMOH3)




STELLA
(KSMOS2)




SERPENTINE
(KSMOS1)



2.5CM PENNY ROUND
(KSMOP1)




1" X 3" PICKET MOSAIC
(KSMOP3)



2" X 8" PICKET MOSAIC
(KSMOP2)



ELONGATED HEX
(KSMOHE)




PASTILLE
(KSMOP4)



ESTB. 1978

WATERWORKS

Keystone



● Recommended Use ○ Not Recommended Use

Application Notes

- * Suitable for use in wet environments, including steam showers, if properly installed, sealed, and maintained
- **For commercial applications, please inquire.
- † Application varies by stone. Please inquire for more information.

Installation / Maintenance

- WATERWORKS ASSUMES NO RESPONSIBILITY FOR INSTALLATION
- Installation constitutes acceptance.
- Tile should be installed by a licensed and experienced tile setter.
- Refer to TCNA (Tile Council of North America) or ANSI standards for installation guidelines.
- All tile must be inspected PRIOR to installation.
- Dry lay tile prior to installation to allow for blending of color variation.
- Waterworks recommends a grouted test panel prior to installation to understand final appearance of grouted materials.
- Stone must be sealed before grout installation to allow grout to release and prevent staining.
- Stone and grout should be sealed after installation and maintained regularly.

Variation Level

V1	V2	V3	V4	V5

1. MINIMAL, IF ANY COLOR VARIATION
2. SLIGHT COLOR VARIATION CAN BE EXPECTED
3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT
4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES
5. EXTREME COLOR VARIATION CAN BE EXPECTED - THE RANGE IS OFTEN DIFFERING BUT COMPLEMENTARY

PLEASE REFER TO COLLECTION TEARSHEET FOR VARIATION LEVEL BY COLOR.

SAMPLING IS RECOMMENDED TO UNDERSTAND VARIATION OF MATERIAL

Product Variation

Color and surface variation is an inherent characteristic of natural materials and should be expected. Thickness and grout width will also vary and should be expected. Refer to our color variation ranking for further details. Please inquire for additional information.

Custom Opportunities Available

Minimums and extended lead-times may apply.

Please contact your local Waterworks showroom or our direct sales team at 800.899.6757.

Thickness

$\frac{3}{8}'' - \frac{3}{4}''^*$

*Nominal: +/- 1/8"

Suggested Grout Lines

$\frac{1}{16}'' - \frac{1}{8}''$