



ESTB. 1978

WATERWORKS

Keystone



From remote mountains to ancient caves, we hand select only those stones that offer the quintessential color, tone, variation, surface activity, texture and strength. Each a unique and natural work of art.

That is when we know we have found the perfect Keystone.



ESTB. 1978

WATERWORKS

Keystone



Venato

V2

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
 6" x 30" ^{P, H} 24" x 36" ^{P, H}
 12" x 12" ^{P, H} 18" x 18" ^{P, H}
 24" x 24" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
 "A" Rail 1 3/4" x 12" ^{P, H}
 Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
 3cm ^{P, H}



Imperial Danby

V3

FIELD TILE

6" x 18" ^{P, H} 18" x 18" ^{P, H}

MOSAIC **

2.5cm Hexagon ^{P, H}

MOLDINGS *

Stowe Rail 1 7/8" x 18" ^{P, H}
 Stowe Base 6" x 18" ^{P, H}

SLABS

2cm ^{P, H}
 3cm ^{P, H}
 5cm ^{P, H}



Petronelli

V4

FIELD TILE

12" x 12" ^{P, H} 12" x 24" x 1/2" ^H

MOSAIC **

2.5cm Stacked ^H
 2.5cm x 10cm Herringbone ^P

MOLDINGS *

Square Liner 3/4" x 12" ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"


^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Thassos Select V1

FIELD TILE

3" x 6" ^{P, H} 6" x 12" ^{P, H}
12" x 12" ^{P, H} 18" x 18" x 1/2" ^{P, H}

MOSAIC **

2cm Stacked ^{P, T}
1/2" x 1 1/4" Staggered ^P
3cm x 5cm Basketweave ^P

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"B" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Calacatta V4

FIELD TILE

3" x 6" ^{P, H} 6" x 12" ^{P, H}
12" x 24" ^{P, H} 24" x 36" ^{P, H}
12" x 12" ^{P, H} 18" x 18" ^{P, H}

MOSAIC **

2 cm Stacked ^{P, H}
1/2" x 3/4" Staggered ^{P, H}
2.5cm Hexagon ^{P, H}
3" Hexagon ^{P, H}
3cm x 5cm Basketweave ^{P, H}
1.5cm Hand Clipped ^H
6" Hexagon ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}
5cm ^P



Statuary V3

FIELD TILE

3" x 6" ^{P, H} 6" x 12" ^{P, H}
12" x 24" ^{P, H} 12" x 12" ^{P, H}
18" x 18" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}
1/2" x 3/4" Staggered ^{P, H}
2.5cm Hexagon ^{P, H}
3" Hexagon ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Aurora

V2

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}
2.5cm Hexagon ^{P, H}
3" Hexagon ^{P, H}
3cm x 5cm Basketweave ^{P, H}
6" Hexagon ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Agatha

V3

FIELD TILE

6" x 12" ^{P, H} 12" x 12" ^{P, H}
12" x 24" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

"A" Rail 1 3/4" x 12" ^{P, H}
Pencil Liner 5/8" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Plumeria

V4

FIELD TILE

12" x 24" ^P

SLABS

2cm ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



White Thassos

V3

FIELD TILE

3" x 6" ^P

MOSAIC**

1cm Stacked ^P

2.5cm Hexagon ^P



Oriental White

V4

FIELD TILE

6" x 12" ^H

12" x 12" ^H

12" x 24" ^H

MOSAIC**

2cm Stacked ^H

MOLDINGS *

Standard Base 5" x 12" ^H

Pencil Liner 5/8" x 12" ^H

"A" Rail 1 3/4" x 12" ^H



Ariel

V4

FIELD TILE

3" x 6" ^P

6" x 12" ^P

MOSAIC**

Serpentine ^P

Stella ^P

2cm Staggered ^P

3cm x 5cm Basketweave ^P

3" Hexagon ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Carrara

V3

FIELD TILE

3" X 6" ^{P, H} 6" X 12" ^{P, H}
 3" X 16" ^{P, H} 12" X 24" ^{P, H}
 12" X 12" ^{P, H} 18" X 18" ^{P, H}
 12" Hexagon ^H

MOSAIC **

2cm Stacked ^{P, H}
 1/2" x 1 1/4" Staggered ^P
 1 7/8" x 3 3/4" Staggered ^{P, H}
 1.5cm x 3cm Herringbone ^P
 3cm x 6cm Herringbone ^P
 2.5cm Hexagon ^{P, H}
 2" Hexagon ^{P, H, T}
 3" Hexagon ^{P, H}
 3cm x 5cm Basketweave ^P
 1.5cm Hand Clipped ^H
 6" Hexagon ^H

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
 "A" Rail 1 3/4" x 12" ^{P, H}
 Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
 3cm ^{P, H}
 5cm ^{P, H}



Cielo

V4

FIELD TILE

12" x 24" ^P

SLABS

2cm ^{P, H}
 3cm ^{P, H}



Savoy

V4

FIELD TILE

12" x 12" ^P 12" x 24" ^P

MOSAIC **

2cm Stacked ^P

SLABS

2cm ^{P, H}
 3cm ^{P, H}

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Gray Carrara

V3

FIELD TILE

3" x 6" x 3/4" ^P 6" x 12" x 3/4" ^P

MOSAICS**

Serpentine ^P

Stella ^P

2cm Staggered ^P

3cm x 5cm ^P

Basketweave ^P

3" Hexagon ^P



Ice White

V3

FIELD TILE

18" x 36" x 3/4" ^P 24" x 48" x 3/4" ^P

36" x 36" x 3/4" ^P

SLABS

2cm ^P



Birch

V3

FIELD TILE

12" x 24" ^H

18" x 36" x 1/2" ^P

24" x 24" x 5/8" ^P

24" x 48" x 3/4" ^P

SLABS

2cm ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Crystalline

V4

FIELD TILE

6" x 12" ^{P, H} 12" x 24" ^{P, H}
18" x 18" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}

SLABS

2cm ^{P, H}



Cascade Gray

V4

FIELD TILE

3" x 12" ^H 6" x 12" ^H
12" x 24" ^H

MOSAIC **

2.5cm x 10cm Herringbone ^H
3" Hexagon ^H
6" Hexagon ^H
3cm Handclipped ^H

SLABS

2cm ^H



Silver Quartzite

V2

FIELD TILE

12" x 24" ^H

SLABS

2cm ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Aran Gray

V2

FIELD TILE

12" x 24" ^H

12" x 12" ^H

SLABS

2cm ^H

3cm ^H



Silver Lining

V5

FIELD TILE

12" x 24" ^H

6" x 36" ^H

18" x 36" ^H

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 12" ^H

SLABS

2cm ^H



Graystone Polished

V4

FIELD TILE

3" x 6" ^P

6" x 12" ^P

MOSAIC **

2cm Staggered ^P

3cm x 5cm Basketweave ^P

3" Hexagon ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"


^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Palissandro

V4

FIELD TILE

12" x 24" ^P

MOSAIC **

2cm Stacked ^P


MOLDINGS *

Empire Rail 3/4" x 12" ^P

SLABS

2cm ^P

3cm ^P



Bardiglio Dark

V3

FIELD TILE

6" x 12" ^{P, H}

12" x 24" ^{P, H}

6" x 30" ^{P, H}

24" x 36" ^{P, H}

12" x 12" ^{P, H}

18" x 18" ^{P, H}

24" x 24" ^{P, H}

12" Hexagon ^H

MOSAIC **

2cm Stacked ^H

2.5cm Hexagon ^{P, H}

3" Hexagon ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}


"A" Rail 1 3/4" x 12" ^{P, H}

Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}

3cm ^{P, H}



Piedmont Blonde

V3

FIELD TILE

8" x 8" x 3/4" ^{HH}

8" x 16" x 3/4" ^{HH}

16" x 16" x 3/4" ^{HH}

16" x 24" x 3/4" ^{HH}

SLABS

2cm ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Vanilla Cream V3

FIELD TILE

6" x 12" ^{P, H} 12" x 24" x 1/2" ^{P, H}
12" x 12" ^{P, H} 16" x 16" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}



Amaro V4

FIELD TILE

12" x 24" ^P

SLABS

2cm ^{P, H}
3cm ^{P, H}



Cataldo V4

FIELD TILE

12" x 24" ^P

MOSAIC **

2cm Stacked ^P

MOLDINGS *

Empire Rail 3/4" x 12" ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Cirrus

V3

FIELD TILE

6" x 12" ^{P, H}

12" x 24" ^{P, H}

12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}

SLABS

2cm ^{P, H}



Silk Georgette

V3

FIELD TILE

12" x 24" ^H

SLABS

2cm ^{P, H}



White Onyx

V4

FIELD TILE

12" x 12" ^{P, H}

MOSAIC **

2.5cm Stacked ^{P, H}

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}

"A" Rail 1 3/4" x 12" ^{P, H}

Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^P

3cm ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Silver Cloud

V3

FIELD TILE

2.5" x 20" ^H 5" x 20" ^H
10" x 20" ^H

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 20" ^H

SLABS

2cm ^H
3cm ^H



Piedmont

V3

FIELD TILE

8" x 16" ^{H, HH} 16" x 24" ^{H, HH}
8" x 8" ^{H, HH} 16" x 16" ^{H, HH}
24" x 24" ^{H, HH}

(Hand honed 3/4" thick)

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 16" ^H

SLABS

2cm ^H
3cm ^H



Nero Marquina

V3

FIELD TILE

6" x 12" ^{P, H} 12" x 12" ^{P, H}

MOSAIC **

2cm Stacked ^{P, H}
2.5cm Stacked ^T

MOLDINGS *

Pencil Liner 5/8" x 12" ^{P, H}
"A" Rail 1 3/4" x 12" ^{P, H}
Standard Base 5" x 12" ^{P, H}

SLABS

2cm ^{P, H}
3cm ^{P, H}

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Raven

V3

FIELD TILE

10" x 20" x 3/8" ^H

MOSAIC **

2cm Stacked ^H

MOLDINGS *

Empire Rail 3/4" x 20" ^H

SLABS

2cm ^H

3cm ^H



Basalt

V2

FIELD TILE

6" x 12" ^H

3" x 16" ^H

12" x 24" ^H

12" x 12" ^H

16" x 16" ^H

MOSAIC **

2cm Stacked ^H

2" Stacked ^H

2.5cm Hexagon ^H

3" Hexagon ^H

6" Hexagon ^H

MOLDINGS *

Empire Rail 1/2" x 12" ^H

Standard Base 5" x 12" ^H

SLABS

2cm ^H

3cm ^H



Vulcan

V3

FIELD TILE

12" x 24" ^H

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone



Monterey

V3

FIELD TILE

12" x 24" ^H

MOSAIC **

2.5cm Stacked ^{TF}


MOLDING *

Empire Rail 5/8" x 12" ^F

SLABS

2cm ^F

3cm ^F



Portoro Gold

V4

FIELD TILE

12" x 12" ^P

SLABS

2cm ^P

* See profile drawings on page 20

** See mosaic drawings on page 21

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"

^P : POLISHED, ^H : HONED, ^T : TUMBLED, ^F : FLAMED, ^{TF} : TUMBLED & FLAMED, ^A : ANCIENT, ^S : SMOOTH, ^{HH} : HAND-HONED



ESTB. 1978

WATERWORKS

Keystone




Fabric

Available in the following color:

Monterey V3

Available in following size:

12" x 24"



Sandblasted

Available in the following color/size:

Bardiglio V3 12" x 24"

Birch V3 18" x 36"

Birch V3 24" x 48"

Carrara V3 12" x 24"

Piedmont V3

16" x Random Lengths x 3/4"



Flamed

Available in the following color/size:

Monterey V3

12" x 24" (3/8" & 3/4")

Tuscan Gray V3

12" x 24" x 3/4"

St. Martin V3

14" x Random Lengths x 3/4"

Greige V3

16" x Random Lengths x 3/4"




Brushed & Flamed

Available in the following color:

Basalt V2

Available in following size:

16" x 24" x 3/4"



Combed

Available in the following color:

Basalt V2

Monterey V3

Available in following size:

12" x 24"

(Basalt 1/2")

*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted.
Dimensions Are Nominal +/- 1/8"



ESTB. 1978

WATERWORKS

Keystone



ANTIQUED

Available in the following colors:

Ash V3 Carrara V3
Biscuit V3 Dakota V3

Available in following sizes*:

10" x 16" x 3/4"
16" x 16" x 3/4"

2cm Slab

*Available with Clean Edge or
Chiseled Edge



RESTORED

Available in the following colors:

Ash V3 Dakota V3
Biscuit V3 Prunella V4
Carrara V3

Available in following sizes*:

10" x 16" x 3/4"
16" x 16" x 3/4"

2cm Slab

*Available with Clean Edge or
Chiseled Edge



GLYPHIC

Available in the following colors:

Silk Georgette V3
Vulcan V3

Available in following size:

8" x 24" x 1/2"


*** Field Tile Dimensions Are 3/8" Thick Unless Otherwise Noted. Dimensions Are Nominal +/- 1/8"



ESTB. 1978

WATERWORKS


Keystone Moldings




12" PENCIL LINER
5/8" x 12" (KSLN01)




12" SQUARE PENCIL LINER
3/4" x 12" (KSLN03)




12" EMPIRE RAIL
1/2" x 12" (KSRL06)



"A" RAIL
1 3/4" x 12" (KSRL01)




"B" RAIL
1 3/4" x 12" (KSRL24)




EMPIRE RAIL
5/8" x 12" (KSRL06)



EMPIRE RAIL
3/4" x 12", 3/4" x 16", 3/4" x 20" (KSRL06)



STANDARD BASE
5" x 12" (KSBS01)




STOWE RAIL
1 7/8" x 18" (KSRLS1)




ESTB. 1978

WATERWORKS


Keystone Mosaics




1cm STACKED
(KSMS01)




2cm STAGGERED
(KSSM22)




2cm STACKED
(KSMS02)




2.5cm STACKED
(KSMS11)




2" STACKED
(KSMS22)




1.5cm STAGGERED
(KSSM15)




1/2" x 3/4" STAGGERED
(KSSM75)




1/2" x 1 1/4" STAGGERED
(KSSM12)




1 7/8" x 3 3/4" STAGGERED
(KSSM02)




2.5cm HEXAGON
(KSMOH2)




2" HEXAGON
(KSMOX2)




3" HEXAGON
(KSMOH8)




6" HEXAGON
(KSMO6X)




1.5cm HANDCLIPPED
(KSSMHC)



3CM HANDCLIPPED
(KSSM3C)




3cm x 5cm BASKETWEAVE
(KSMOB3)




1.5cm x 3cm HERRINGBONE
(KSMOHB)




2.4cm x 10cm HERRINGBONE
(KSMOH1)



3cm x 6cm HERRINGBONE
(KSMOH3)



STELLA
(KSMOS2)




SERPENTINE
(KSMOS1)



ESTB. 1978

WATERWORKS

Keystone



Recommended Use



Not Recommended Use

Application Notes

* Suitable for use in wet environments, including steam showers, if properly installed, sealed, and maintained

**For commercial applications, please inquire.

† Application varies by stone. Please inquire for more information.

Installation / Maintenance


- WATERWORKS ASSUMES NO RESPONSIBILITY FOR INSTALLATION
- Installation constitutes acceptance.
- Tile should be installed by a licensed and experienced tile setter.
- Refer to TCNA (Tile Council of North America) or ANSI standards for installation guidelines.
- All tile must be inspected PRIOR to installation.
- Dry lay tile prior to installation to allow for blending of color variation.
- Waterworks recommends a grouted test panel prior to installation to understand final appearance of grouted materials.
- Stone must be sealed before grout installation to allow grout to release and prevent staining.
- Stone and grout should be sealed after installation and maintained regularly.

Variation Level

V1




V2




V3



V4



V5



1. MINIMAL, IF ANY COLOR VARIATION


2. SLIGHT COLOR VARIATION CAN BE EXPECTED

3. A MEDIUM RANGE OF COLOR VARIATION IS TYPICAL; DARKER AND LIGHTER TONES ARE EVIDENT

4. CONSIDERABLE COLOR VARIATION IS TYPICAL; FROM DARKS TO LIGHTS AND SOME TONE CHANGES

5. EXTREME COLOR VARIATION CAN BE EXPECTED - THE RANGE IS OFTEN DIFFERING BUT COMPLEMENTARY

Thickness



*Nominal: +/- 1/8"

Suggested Grout Lines

1/16" - 1/8"